

surface


VICTORIAN FLOOR TILES

Entrance Halls

More than 150 years after they were laid, many Victorian entrance halls and porches still retain their floor tiles. The Surface Victorian tiles are made from the same clays, coloured with traditional stains.




Chatsworth with Wordsworth border




Westminster with Wordsworth border

WESTMINSTER		per sq. m. (10 sq.ft.)
■	106 x 106 Square (buff)	27
■	75 x 75 Square (red)	34
■	53 x 53 Square (red)	7
▲	50 x 36 x 36 Triangle (black)	27
▲	104 x 73 x 73 Triangle (buff)	54
▲	104 x 73 x 73 Triangle (black)	27
▲	73 x 52 x 52 Triangle (blue)	54
▲	73 x 52 x 52 Triangle (white)	54
▲	73 x 52 x 52 Triangle (black)	27



Balmoral with Wordsworth border

BALMORAL		per sq. m. (10 sq.ft.)
■	151 x 151 Square (green)	19
■	75 x 75 Square (green)	19
■	53 x 53 Square (buff)	38
▲	73 x 52 x 52 Triangle (brown)	152
▲	73 x 52 x 52 Triangle (white)	76




Dorchester with Clare border

DORCHESTER		per sq. m. (10 sq.ft.)
■	106 x 106 Square (red)	43
■	106 x 106 Square (black)	43

VICTORIAN FLOOR TILES



The colour combinations shown in the patterns on these pages are intended as examples only. All the named patterns and borders in this brochure can be supplied in any combination of the 8 colours listed.



OSBORNE		per sq. m. (10 sq.ft.)
■	75 x 75 Square (red)	42
■	75 x 75 Square (buff)	28
■	75 x 75 Square (green)	18
■	75 x 75 Square (blue)	14
■	106 x 106 Square (blue)	4
▲	104 x 73 x 73 Triangle (white)	28
▲	104 x 73 x 73 Triangle (buff)	28
▲	104 x 73 x 73 Triangle (black)	14
▲	73 x 52 x 52 Triangle (blue)	14
▲	73 x 52 x 52 Triangle (red)	14
▲	73 x 52 x 52 Triangle (black)	56
▲	73 x 52 x 52 Triangle (white)	28



Richmond with modified Browning border, incorporating Cardigan decorated tiles




Wellington with Shelley border



Braemar with Shelley border

BRAEMAR		per sq. m. (10 sq.ft.)
■	75 x 75 Square (brown)	75
■	75 x 75 Square (buff)	38
■	75 x 75 Square (green)	10
■	75 x 75 Square (white)	10
▲	73 x 52 x 52 Triangle (brown)	75
▲	73 x 52 x 52 Triangle (buff)	38
▲	73 x 52 x 52 Triangle (white)	38



Richmond with Browning(a) border

RICHMOND		per sq. m. (10 sq.ft.)
■	75 x 75 Square (black)	64
■	75 x 75 Square (red)	43
■	75 x 75 Square (brown)	43
■	75 x 75 Square (white)	11
■	53 x 53 Square (white)	11
▲	50 x 36 x 36 Triangle (black)	43

VICTORIAN FLOOR TILES

Paths, Porches and Conservatories


These patterns, re-created directly from original Victorian catalogues, will add a timeless charm and character to any path, porch or conservatory. The appearance of any of these designs can be altered dramatically by a simple colour change. The two patterns and borders shown on this page use identical shapes but are made individual by the selection of different colours.




Lambeth with Wordsworth border



Warwick pattern with Keats border




	per sq. m.		per sq. m.
WARWICK (above)	(10 sq.ft.)	WARWICK (below)	(10 sq.ft.)
● Octagon (blue)	19	● Octagon (red)	19
◆ Hexagon (red)	38	◆ Hexagon (black)	38
■ 53 x 53 Square (buff)	76	■ 53 x 53 Square (buff)	76
■ 53 x 53 Square (black)	19	■ 53 x 53 Square (black)	19




← approx 1.2m (4'0") →

VICTORIAN FLOOR TILES




Blenheim with Shelley border



Chatsworth with Browning border



Dorchester with Byron border



Arundel with Bronte border

← approx 0.8m (2'7") →

BLENHEIM		per sq. m. (10 sq.ft.)
■	75 x 75 Square (black)	11
■	75 x 75 Square (grey)	64
■	75 x 75 Square (buff)	43
■	75 x 75 Square (green)	11
▲	73 x 52 x 52 Triangle (brown)	85
▲	73 x 52 x 52 Triangle (buff)	43
▲	73 x 52 x 52 Triangle (white)	43

CHATSWORTH		per sq. m. (10 sq.ft.)
■	106 x 106 Square (blue)	4
■	106 x 106 Square (brown)	14
■	75 x 75 Square (red)	42
■	75 x 75 Square (buff)	28
■	75 x 75 Square (brown)	14
■	75 x 75 Square (white)	4
▲	104 x 73 x 73 Triangle (buff)	28
▲	104 x 73 x 73 Triangle (black)	14
▲	104 x 73 x 73 Triangle (white)	28
▲	73 x 52 x 52 Triangle (red)	14
▲	73 x 52 x 52 Triangle (white)	28
▲	73 x 52 x 52 Triangle (blue)	14


ARUNDEL		per sq. m. (10 sq.ft.)
●	151 x 151 Octagon (red)	39
■	53 x 53 Square (green)	39
▲	50 x 36 x 36 Triangle (buff)	153

surface


69 UPPER GEORGE'S STREET, DUN LAOGHAIRE. TEL: (01) 6638991

VICTORIAN FLOOR TILES


POMEROY	per sq. m. (10 sq.ft.)	OXFORD	per sq. m. (10 sq.ft.)
■ Octagon (buff)	22	■ 151 x 151 Square (red)	22
■ Octagon (brown)	22	■ 151 x 151 Square (white)	22
■ 53 x 53 Square (black)	43		




Pomeroys with Bronte border



Oxford with Browning(b) border




Lambeth with Wordsworth(b) border




Braemar with Shelley border

LAMBETH	per sq. m. (10 sq.ft.)	BRAEMAR	per sq. m. (10 sq.ft.)
■ 106 x 106 Square (red)	19	■ 75 x 75 Square (grey)	75
■ 106 x 106 Square (buff)	19	■ 75 x 75 Square (buff)	38
■ 53 x 53 Square (black)	38	■ 75 x 75 Square (blue)	19
▲ 104 x 73 x 73 Triangle (brown)	76	▲ 73 x 52 x 52 Triangle (red)	75
▲ 73 x 52 x 52 Triangle (white)	151	▲ 73 x 52 x 52 Triangle (white)	38
		▲ 73 x 52 x 52 Triangle (buff)	38


VICTORIAN FLOOR TILES




Dorchester with Kingsley border



Fotheringhay with Browning(a) border



York with Byron border



Nottingham with Melville border

DORCHESTER		per sq. m. (10 sq.ft.)	FOTHERINGHAY		per sq. m. (10 sq.ft.)
■	106 x 106 Square (buff)	43	■	151 x 151 Square (buff)	21
■	106 x 106 Square (red)	43	■	106 x 106 Square (white)	21
			▲	104 x 73 x 73 Triangle (blue)	84
YORK		per sq. m. (10 sq.ft.)	NOTTINGHAM		per sq. m. (10 sq.ft.)
●	Octagon (buff)	43	●	Octagon (green)	43
■	53 x 53 Square (brown)	43	■	53 x 53 Square (white)	43

surface

69 UPPER GEORGE'S STREET, DUN LAOGHAIRE. TEL: (01) 6638991

VICTORIAN FLOOR TILES

Kitchens and Bathrooms


The traditional black and white Victorian bathroom floor is the perfect complement to elegant bathroom suites and most of the patterns here have been recreated directly from original Victorian floor tile catalogues. Although black and white borders were in general use for bathrooms in the 19th century, contemporary bathroom suites may be better matched with coloured tiles.



York with Melville border




Dorchester with Clare border, incorporating Darwin decorated Tiles




Art Deco with Shelley border

ART DECO		per sq. m. (10 sq.ft.)
■	106 x 106 Square (buff)	43
▲	104 x 73 x 73 Triangle (black)	86
▲	104 x 73 x 73 Triangle (white)	86



Huntingdon with Keats border

HUNTINGDON		per sq. m. (10 sq.ft.)
◆	Hexagon (buff)	86
■	53 x 53 Square (green)	43
▲	50 x 36 x 36 Triangle (white)	172




Wellington with Shelley border

WELLINGTON		per sq. m. (10 sq.ft.)
■	106 x 106 Square (buff)	43
■	106 x 106 Square (blue)	43

VICTORIAN FLOOR TILES




York with Keats border, incorporating Gordon decorated tiles




Edinburgh with Kipling border

	per sq. m. (10 sq.ft.)
EDINBURGH	
■ 151 x 75 Rectangle (black)	38
■ 75 x 75 Square (buff)	19
■ 151 x 151 Square (red)	19



Conway with Browning(a) border

	per sq. m. (10 sq.ft.)
CONWAY	
■ 151 x 75 Rectangle (blue)	38
■ 75 x 75 Square (blue)	19
■ 53 x 53 Square (black)	19
▲ 104 x 73 x 73 Triangle (buff)	76
▲ 73 x 52 x 52 Triangle (white)	76
▲ 50 x 36 x 36 Triangle (blue)	76



York with Melville border

	per sq. m. (10 sq.ft.)
YORK	
● Octagon (white)	43
■ 53 x 53 Square (black)	43

VICTORIAN FLOOR TILES

Hand Decorated Victorian Floor Tiles

Used individually or in groups as decorative panels or borders, these decorated tiles are the ideal complement for the geometric tiles. All are based on traditional Victorian designs with the pattern overprinted in the same colours as the geometric tiles. Inverlochy with reduced Tennyson border and blue decorated Palmerston centrepiece within a frame of 149 X 75 X 50mm trapezium tiles.

Permanent decorated surfaces

Intensive research and development by Surface with specially formulated stains, inks and matt glazes has achieved a hardness and wear-resistance of the printed designs which makes them suitable for heavy domestic or light commercial use, either indoors or outside.




corner



6270 blue 6281 green

border



6269 blue 6280 green



6265 blue



6278 green

Livingstone

Size 106 X 106mm (approx. 4 1/8" X 4 1/8") – Ideal for use as an individual tile to add interest and variety within a geometric tile pattern (see front cover picture).

Telford border and corner

An attractive rope design which contrasts pleasingly with the straight edges of the geometric tiles.

Border tile: 151 X 75mm (approx. 6" X 3")
Corner tile: 75 X 75mm (approx. 3" X 3")



6260 blue/brown



6284 green/red

Gladstone

Comprises 4 identical decorated tiles to form a panel measuring 304 X 304mm (approx. 12" x 12") including grout spaces.



6266 blue/white



6283 white/buff



surface

69 UPPER GEORGE'S STREET, DUN LAOGHAIRE. TEL: (01) 6638991

VICTORIAN FLOOR TILES

SPECIFICATIONS

Complying with	BS6431: 1984 Group B2A
Description	unglazed, vitrified, dust-pressed ceramic tiles
Thickness	9mm (approx. 3/8") Step Tread which is 12mm (approx. 1/2")
Abrasion resistance	maximum 147mm; PEI Class 4
Water absorption	not more than 6%
Frost resistance	no damage after 50 freeze/thaw cycles
Variation in facial dimensions	0.75% to 1.2% from nominal size, depending on tile size

INSTALLATION

Before laying any of the tiles illustrated in this brochure, please read the Original Style Victorian Floor Tiles Installation & Maintenance Guide which is available free from Surface. Surface strongly recommend that their tiles be laid by an experienced professional tiler. The satisfactory installation of all ceramic tiles depends on their application to a sound, level surface and use of the correct adhesive for that surface. Laying directly into wet cement is not recommended. Detailed guidelines are set out in BS5385: Part 3: 1989

GROUTING RECOMMENDATIONS

Tiles should be spaced 2mm apart and grouted with a grey cement-based grout. Coloured grouts, including black, are likely to stain the tiles and are NOT recommended.

PROTECTION AGAINST STAINING

Surface Victorian floors are unglazed and can therefore be stained by grease, oil, wine etc. We therefore can recommend that in normal indoor domestic installations they are sealed with a wax or acrylic surface coating such as Hagesan HG Golvpolish before the floor is used. In kitchens, commercial installations and out of doors an impregnating sealer such as Hagesan HG Impregnator or Lithofin may be used, but special care must be taken not to apply more than the tiles can absorb. Full sealing and cleaning recommendations are given in our Victorian Floor Tiles Installation & Maintenance Guide.

TILE COLOURS

Owing to the limitations of the printing process, tile colours shown in this brochure are not precisely the same as those of the actual tiles. We recommend that you look at our showroom display before ordering. Because the tiles are made of natural clays, some shade variation will occur between one tile and another of the same colour. It is therefore important to ensure that such shade differences are evenly distributed, before fixing the tiles, to obtain a satisfactory blend.

STEP TREADS

Surface recommend that treads of a different colour to the adjacent pattern are selected in order to provide an additional, visual reminder of the edge to steps and stairs.



Step Tread tiles are 12mm thick (3mm more than other Surface tiles) in order to provide additional strength and durability on such edges. Tilers must allow for this difference when preparing the surface for tiling.

ESTIMATING TILE QUANTITIES REQUIRED

For patterns measure the area to be covered by the pattern in square metres and multiply by the quantities given on pages 3 to 15. Add 5% for wastage. For borders measure the length of the border in metres and multiply by the quantities given on pages 24 to 25. Add 5% for wastage.

SIZE VARIATION

Due to the nature of the clay firing process tile dimensions may vary by up to 0.75% above or below the stated size. Installers should particularly be aware that patterns such as Dorchester and Oxford, consisting of tiles of one nominal size in two different colours, may require increased grout spacing to allow for this variation.
















EXTERIOR USE

Surface Victorian floor tiles are suitable for outdoor use and are frost resistant, provided that they are laid in such a way that rainwater drains freely off them and cannot penetrate beneath and between them. Tiles should not be laid on flat, asphalt-covered roofs in areas subject to frost. Tiles laid outdoors should be sealed with Hagesan HG Impregnator to increase their water repellence.

surface

69 UPPER GEORGE'S STREET, DUN LAOGHAIRE. TEL: (01) 6638991

VICTORIAN FLOOR TILES

No of pcs. per pack	Shapes & Sizes	P R O D U C T C O D E S							
		RED	BUFF	BLACK	WHITE	BROWN	BLUE	GREEN	GREY
43	 151 X 151mm (approx 6" X 6")	6106	6206	6306	6406	6506	6606	6706	6806
22	 106 X 106mm (approx 4 ¹ / ₈ " X 4 ¹ / ₈ ")	6104	6204	6304	6404	6504	6604	6704	6804
20	 75 X 75mm (approx 3" X 3")	6103	6203	6303	6403	6503	6603	6703	6803
44	 53 X 53mm (approx 2" X 2")	6102	6202	6302	6402	6502	6602	6702	6802
12	 149 X 106 X 106mm (approx 6" X 4 ¹ / ₄ ")	6116	6216	6316	6416	6516	6616	6716	6816
24	 104 X 73 X 73mm (approx 4 ¹ / ₈ " X 3")	6114	6214	6314	6414	6514	6614	6714	6814
48	 73 X 52 X 52mm (approx 3" X 2")	6113	6213	6313	6413	6513	6613	6713	6813
108	 50 X 36 X 36mm (approx 2" X 1 ¹ / ₂ ")	6112	6212	6312	6412	6512	6612	6712	6812
10	 151 X 75mm (approx 6" X 3")	6123	6223	6323	6423	6523	6623	6723	6823
15	 151 X 53mm (approx 6" X 2")	6122	6222	6322	6422	6522	6622	6722	6822
30	 151 X 24mm (approx 6" X 1")	6121	6221	6321	6421	6521	6621	6721	6821
43	 151 X 151mm (approx 6" X 6")	6131	6231	6331	6431	6531	6631	6731	6831
20	 149 X 75 X 52mm (approx 6" X 3" X 2")	6132	6232	6332	6432	-	-	6732	-
10	 151 X 53mm (approx 6" X 2")	6134	6234	6334	-	6534	-	6734	-
7	 Step tread 151 X 75mm (approx 6" X 3")	6135	-	6335	-	-	-	-	-

SURFACE COMPUTER AIDED DESIGN (CAD) SERVICE

The tile patterns and borders shown in this brochure can be adapted by our designers for your specific project. Should you require help with a design please ask in store about our design service.

surface
VICTORIAN FLOOR TILES

69 UPPER GEORGE'S STREET, DUN LAOGHAIRE. TEL: (01) 6638991

surface

SURFACE CERAMICS

69c UPPER GEORGE'S STREET, DUN LAOGHAIRE, CO. DUBLIN
TEL: 01 6638991 | F: 01 6638992 | E: info@surface.ie

SURFACE BATHROOMS

ASHGROVE INDUSTRIAL ESTATE, KILL AVENUE, DUN LAOGHAIRE, CO. DUBLIN
T: 01 6637803 | F: 01 6637823 | E: info@surface.ie

WWW.SURFACE.IE